



Supplementary Materials

Sesquiterpene lactones of *Saussurea lappa* (Decne.) Sch.Bip. and comparative antimicrobial activity of its root oil and extracts

Balam Singh Bisht^{1*} , Darshan Singh¹ , Chandra Shekhar Mathela¹ , and Amit Panwar²

1. Department of Chemistry, Kumaun University, Nainital-263002, Uttarakhand, India

2. Department of Biotechnology, Kumaun University, Bhimtal, Uttarakhand, India

Corresponding Author: Balam singh Bisht E-mail: bbbantychem@gmail.com, Tel.: +91-9410338181

List of Materials

1. **Figure S1.** Mass spectrum of Dihydrodehydrocostuslactone (SL-01)
2. **Figure S2.** Mass spectrum of Dehydrocostuslactone (SL-02)
3. **Figure S3.** ^1H NMR spectrum of Dihydrodehydrocostuslactone (SL-01)
4. **Figure S4.** ^{13}C NMR spectrum of Dihydrodehydrocostuslactone (SL-01)
5. **Figure S5.** ^1H NMR spectrum of Dehydrocostuslactone (SL-02)
6. **Figure S6.** ^{13}C NMR spectrum of Dehydrocostuslactone (SL-02)




Figure S1. Mass spectrum of Dihydrodehydrocostuslactone (SL-01)






Figure S2. Mass spectrum of Dehydrocostuslactone (SL-02)

**Figure S3.** ^1H NMR spectrum of Dihydrodehydrocostuslactone (SL-01)**Figure S4.** ^{13}C NMR spectrum of Dihydrodehydrocostuslactone (SL-01)




Figure S5. ^1H NMR spectrum of Dehydrocostuslactone (SL-02)




Figure S6. ^{13}C NMR spectrum of Dehydrocostuslactone (SL-02)